

CLASS I EMBEDMENT MATERIAL: SAND – MUST BE CLEAN, FREE DRAINING AND FREE FLOWING. CONTAINS NO LUMPS, CLAY, OR ORGANICS.

GENERAL NOTES:

1. FOR THE DEFINITION OF THE BACKFILL MATERIAL TERMS SEE N.C.T.C.O.G. SPECIFICATIONS.
2. FINAL BACKFILL SHALL BE SELECT NATIVE MATERIAL COMPACTED TO THE TOP OF THE SUBGRADE IN 6 INCH LIFTS TO AT LEAST 95 PERCENT OF MAXIMUM DENSITY AS DETERMINED BY ASTM D 698.
3. THE USE OF CEMENT STABILIZED SAND OR FLOWABLE FILL FOR FINAL BACKFILL IS RESTRICTED PRIMARILY TO LOCALIZED OR SPOT REPAIRS OF UTILITIES UNDER PAVING WHERE RESTORATION OF PAVING AND TRAFFIC IS TIME CRITICAL AS APPROVED BY THE ENGINEERING DEPARTMENT.
4. FOR USE IN EARTH OR ROCK UP TO A MAXIMUM OF 30'-0" EXCAVATION.
5. I.D. TAPE MUST BE 6" WIDE BY 4.0 MIL THICK POLYETHYLENE PLASTIC.


1
—
2

Revision Date: 03/14

Scale : N/A	Date : 06/01/05
Design :	
Drawn : JMK	
Dwg. File : EMB_001.DGN	
Project No. : STANDARD-DETAILS	



**CLASS I – WATER
EMBEDMENT DETAIL**



CLASS II EMBEDMENT MATERIAL:

1. CRUSHED STONE – GRADE 8:
 - A. 3/8" SIEVE – 0% TO 5% RETAINED
 - B. NO. 4 SIEVE – 35% TO 60% RETAINED
 - C. NO. 8 SIEVE – 90% TO 100% RETAINED
2. NATURAL GRAVEL – UNCRUSHED, WASHED STONE WITH NO CLAY OR ORGANICS.
 - A. 1-1/2" SIEVE – 100% PASSING
 - B. 3/4" SIEVE – 100% RETAINED

GENERAL NOTES:

1. FOR THE DEFINITION OF THE BACKFILL MATERIAL TERMS SEE N.C.T.C.O.G. SPECIFICATIONS.
2. FINAL BACKFILL SHALL BE SELECT NATIVE MATERIAL COMPACTED TO THE TOP OF THE SUBGRADE IN 6 INCH LIFTS TO AT LEAST 95 PERCENT OF MAXIMUM DENSITY AS DETERMINED BY ASTM D 698.
3. THE USE OF CEMENT STABILIZED SAND OR FLOWABLE FILL FOR FINAL BACKFILL IS RESTRICTED PRIMARILY TO LOCALIZED OR SPOT REPAIRS OF UTILITIES UNDER PAVING WHERE RESTORATION OF PAVING AND TRAFFIC IS TIME CRITICAL AS APPROVED BY THE ENGINEERING DEPARTMENT.
4. FOR USE IN EARTH OR ROCK UP TO A MAXIMUM OF 30'-0" EXCAVATION.
5. I.D. TAPE MUST BE 6" WIDE BY 4.0 MIL THICK POLYETHYLENE PLASTIC.

2
—
2

Revision Date: 03/14

Scale : N/A	Date : 06/01/05
Design :	
Drawn : JMK	
Dwg. File : EMB_002.DGN	
Project No. : STANDARD-DETAILS	



**CLASS II – WATER
EMBEDMENT DETAIL**
APPLIES ONLY IF GROUND WATER IS PRESENT IN TRENCHLINE

PAGE
2